

SAFETY DATA SHEET

PU Foam 2 IN 1 - NBS / HH - 750 ml

Compilation date: 10-10-2023 Revision: - Revision no: -
In accordance with Annex II of REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance or mixture and of the company/undertaking

1.1. Product identification
Trade name PU Foam 2 in 1 - NBS / HH
 UFI: XU5R-W085-G111-0XSD
Product form Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified use

Professional use (SU22), Consumer use (SU21)
Gluing, sealing (PC:1)

1.2.2 Forms of use that are advised against

No additional information available

1.3. Details concerning the provider of the Safety Data Sheet

PU Foam 2 in 1 - NBS / HH

1.4. Emergency telephone number
For urgent information, please contact +31(0)888-93 88 39 /112

Land	Organization/Company	Address	Emergency number	Remark
The Netherlands	National Poisonings Information Center	Internal mail number B.00.118 P.O. Box 85500 3508 GA Utrecht	+31 30 274 88 88	Intended exclusively to inform professional healthcare providers in cases of acute poisoning.

SECTION 2. Identification of hazards

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and modifications). Therefore, a Safety Data Sheet for the product is required in accordance with the provisions of Regulation (EU) 2020/878.

Any other information regarding hazards to health and/or the environment is set out in Chapters 11 and 12 of this sheet.

Classification and statement of hazard:	
Aerosol, category 1	H222 Extremely flammable aerosol. H229 Pressurized container: may burst when heated.
Carcinogenicity, category 2	H351 Suspected of causing cancer.
Acute toxicity, category 4	H332 Harmful if inhaled.
Specific target organ toxicity upon - repeated exposure, category 2	H373 May cause damage to organs through prolonged or repeated exposure.
Eye irritation, category 2	H319 Causes serious eye irritation.
Skin irritation, category 2	H315 Causes skin irritation.
Specific target organ toxicity from - single exposure, category 3	H335 May cause respiratory irritation.
Respiratory sensitization, category 1	H334 May cause allergy or asthma symptoms or difficulty breathing if inhaled.
Skin sensitization, category 1	H317 May cause an allergic skin reaction.

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

2.2. Labeling elements

Hazard labelling within the meaning of Regulation (EC) 1272/2008 (CLP) and subsequent amendments and modifications.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H222	Extremely flammable aerosol.
H229	Pressurized container: may burst when heated.
H351	Suspected of causing cancer.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H319	Causes severe eye irritation.
H315	Causes skin irritation.
H335	May cause irritation of the respiratory tract.
H334	May cause allergy or asthma symptoms or difficulty breathing if inhaled.
H317	May cause an allergic skin reaction.
EUH204	Contains isocyanates. May cause an allergic reaction.

Safety recommendations:

P210	Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. Do not smoke.
P251	Do not pierce or burn even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures above 50°C / 122°F.
P211	Do not spray into an open fire or onto other ignition sources.
P280	Wear protective gloves / clothing and eye / face protection.
P260	Do not inhale dust / smoke / gas / mist / vapor / spray.
P284	[In case of inadequate ventilation] wear respiratory protection.
P302+P352	IF IN CONTACT WITH SKIN: Wash with plenty of water.
P305+P351+P338	IF CONTACT WITH EYES: Rinse carefully with water for several minutes. Remove contact lenses, if possible. Continue rinsing.
P342+P311	In case of respiratory symptoms: consult a POISON CENTER / doctor.
P501	Dispose of contents/packaging at a collection point for hazardous or special waste, in accordance with local, regional, national and/or international regulations.

Contains:

Isocyanic acid, polymethylenepolyphenylene ester

Allergic reactions may occur when using this product in persons already sensitized to diisocyanates. Persons suffering from asthma, eczema, or skin problems must avoid contact with this product, including skin contact. Do not use this product in poor ventilation unless a protective mask with a suitable gas filter (type A1 in accordance with standard EN 14387) is worn. As of August 24, 2023, appropriate training must be completed for industrial or professional use.

2.3. Other hazards

Based on the available data, the product contains no PBT or vPvB substances in a percentage greater than 0.1%. The product contains no substances with endocrine-disrupting properties in a concentration of 0.1%.

SECTION 3. Composition and information on ingredients

3.1 Fabrics

Not applicable

3.2. Mixtures

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

Name	Product identification	%	Classification (EC) 1272/2008 (CLP)
Isocyanic acid, polymethylenepolyphenylene ester	(CAS-No.) 9016-87-9 (REACH-no) Exempted	20-35	Carc. 2 H351, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Resp. Sens. 1 H334, Skin Sens. 1 H317 STA Inhalation mist/dust: 1.5 mg/l
and isobutane	(CAS-No.) 75-28-5 (EC-No.) 200-857-2 (REACH-no) 01-2119485395-27-xxxx	2.5 - 10	Flam. Gas 1A H220, Press. Gas H280
propane	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (REACH-no) 01-2119486944-21-xxxx	2.5 - 10	Flam. Gas 1A H220, Press. Gas H280
dimethyl ether	(CAS-No.) 115-10-6 (EC-No.) 204-065-8 (REACH-no) 01-2119472128-37-xxxx	2.5 - 10	Flam. Gas 1A H220, Press. Gas H280

The complete text of the hazard statements (H) is shown under chapter 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of the first aid measures

EYES: Remove contact lenses. Immediately wash with plenty of water for at least 15 minutes, with the eyelids wide open. If the problem persists, consult a doctor.

SKIN: Remove contaminated clothing. Shower immediately. Notify a doctor immediately. Wash contaminated clothing before use.

INHALATION: Move the victim to fresh air. In case of respiratory arrest, apply artificial respiration. Call a doctor immediately.

SWALLOWED: Call a doctor immediately. Do not induce vomiting. Do not administer anything without the express permission of a doctor.

4.2. Main acute and delayed symptoms and effects

There is no specific information available regarding the symptoms and effects of the product.

4.3. Indication of the required immediate medical care and special treatment

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing equipment

SUITABLE EXTINGUISHERS

The traditional agents are used as extinguishing agents: carbon dioxide, foam, powder, and water spray.

UNSUITABLE EXTINGUISHER

No unsuitable extinguishing agent in particular.

5.2. Special hazards caused by the substance or mixture

EXPOSURE HAZARDS IN CASE OF FIRE

In case of overheating, the spray cans may deform, explode, and be shot over long distances. Wear a protective helmet.

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

before approaching the fire. Avoid inhaling combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Cool the containers with water jets to prevent the decomposition of the product and the development of substances that are potentially hazardous to health. Always wear full, protective, and fire-resistant clothing.

EQUIPMENT

Standard firefighting equipment, such as an independent open-circuit compressed air breathing apparatus (EN 137), protective clothing (EN 469), protective gloves (EN 659), and boots (HO A29 or A30) for firefighters.

SECTION 6. Measures in the event of accidental release of the substance or mixture

6.1. Personal precautions, protective equipment and emergency procedures

Remove any ignition source (cigarettes, flames, sparks, etc.) from the area where the leak occurred. Send away persons who are not wearing protective clothing. Wear protective gloves / protective clothing / eye protection / face protection.

6.2. Environmental precautions

Prevent spread in the environment.

6.3. Methods and material for containment and cleaning up

Absorb the leaked product with absorbent inert material. Ensure sufficient air circulation at the location where the product leaked. The contaminated material must be processed in accordance with the provisions of point 13.

6.4. Reference to other sections

Any information regarding personal protection and processing can be found in parts 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for the safe handling of the substance or mixture

Prevent the accumulation of electrostatic charges. Do not vaporize on flames or glowing objects. The vapors can ignite and explode, so accumulation must be avoided by keeping doors and windows open and ensuring cross-ventilation. Do not eat, drink, or smoke during use. Do not inhale spray mist.

7.2. Conditions for safe storage, including incompatible products

Store in a well-ventilated place, out of direct sunlight and at a temperature below 50°C / 122°F, away from any ignition source.

7.3. Specific end use

Information not available

SECTION 8. Exposure control measures/personal protection

8.1. Control parameters

Information not available

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

8.2. Measures to control exposure

Given that the application of suitable technical measures must always take priority over personal protective equipment, good ventilation at the workplace must be ensured by means of effective local extraction.

If necessary, consult your chemical suppliers when selecting personal protective equipment.

Personal protective equipment must bear the EC marking indicating that it complies with the applicable regulations.

Install an emergency shower with a sink for the face and eyes.

Exposure levels must be kept as low as possible to prevent significant accumulation in the organism. Manage protective equipment in such a way that maximum protection is ensured (e.g. shorter replacement times).

HAND PROTECTION

Protective gloves.

SKIN PROTECTION

Wear long-sleeved work clothing and safety footwear for professional use category II (ref. Regulation 2016/425 and standard EN ISO 20344). Wash yourself with soap and water after removing the clothing.

EYES PROTECTION

It is recommended to wear hermetically sealing safety glasses (see standard EN 166).

AIRWAY PROTECTION

If the threshold value (e.g. TLV-TWA) of the substance or of one or more substances present in the product is exceeded, it is recommended to use a mask with a type AX filter in combination with a type P filter (see standard EN 14387).

The use of respiratory protection equipment is necessary when the technical measures applied are insufficient to limit the employee's exposure to the relevant threshold values. In any case, the protection provided by the masks is limited.

ENVIRONMENTAL EXPOSURE CONTROLS

Emissions from production processes, including emissions from ventilation equipment, must be monitored in the context of compliance with environmental protection legislation.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value
Physical condition	Liquid under pressure
Colour	yellowish
Scent	characteristic
Melting / freezing point	not available
Initial boiling point	not available
Flammability	Highly flammable aerosol
Lowest explosion limit	not available
Highest explosion limit	not available
Flash point	not available
Autoignition temperature	not available
Decomposition temperature	not available
pH	not available
Kinematic viscosity	not available
Solubility	not available
Partition coefficient n-octanol/water	not available
Vapor pressure	5 Bar
Density and/or relative density	not available
Relative vapor density	not available
Particle characteristics	not applicable

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

9.2. Other information

9.2.1. Information regarding physical hazard classes
Information not available

9.2.2. Other safety features Information not
available

SECTION 10. Stability and reactivity

10.1. Reactivity

Under normal conditions of use, there are no specific hazards of reaction with other substances.

10.2. Chemical stability

This product is stable under normal conditions of use and storage.

10.3. Possible hazardous reactions

Under normal conditions of use and storage, no hazardous reactions are expected.

10.4. Conditions to be avoided

Avoid overheating.

10.5. Chemically interacting materials

Strong reducing and oxidizing substances, strong acids and bases, high temperature materials.

10.6. Dangerous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, kinetics, mode of action and other information
Information not available

Information about likely exposure routes
Information not available

Delayed and immediate effects as well as chronic effects of short-term and long-term exposure
Information not available

Interactive effects
Information not available

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

ACUTE TOXICITY

ATE (Inhalation - mist / dust) of the mixture:	4.0 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	Not classified (no relevant component)

Isocyanic acid, polymethylenepolyphenylene ester

STA (Inhalation of mist/dust):	1.5 mg/l estimate in Table 3.1.2 of Annex I of the CLP Regulation (data used for the calculation of the acute toxicity estimate of the mixture)
--------------------------------	--

SKIN CORROSION / IRRITATION

Causes skin irritation

SEVERE EYE INJURY / EYE IRRITATION

Causes severe eye irritation

Sensitization of the Airways/Skin

Sensitizing to the skin

Sensitizing to the respiratory tract

MUTAGENITY IN GIRAL CELLS

Does not meet the criteria for classification in this hazard class

CARCINOGENITY

Suspected of causing cancer

TOXICITY TO REPRODUCTIVE

Does not meet the criteria for classification in this hazard class

STOT - IN CASE OF SINGLE EXPOSURE

May cause irritation of the respiratory tract

STOUT - UPON REPEATED EXPOSURE

Can cause damage to organs

DANGER OF ASPIRATION

Does not meet the criteria for classification in this hazard class

11.2. Information about other hazards

Based on the available data, the product does not contain any substances included in the main European lists of potential or suspected endocrine disruptors with effects on human health that are being assessed.

SECTION 12. Ecological information

12.1. Toxicity

Information not available

12.2. Persistence and degradability

PROPANE

Solubility in water	0.1 - 100 mg/l
---------------------	----------------

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

Easily biodegradable

12.3. Bioaccumulation

PROPANE

Partition coefficient: n-octanol/water

1.09

12.4. Mobility in the soil

Information not available

12.5. Results of PBT and zPzB assessment

Based on the available data, the product contains no PBT or vPvB substances with a percentage greater than 0.1%.

12.6. Hormone-disrupting properties

Based on the available data, the product does not contain any substances included in the main European lists of potential or suspected endocrine disruptors with environmental effects that are being assessed.

12.7. Other harmful effects

Information not available

SECTION 13. Instructions for disposal

13.1. Waste processing methods

Reuse, if possible. The residues of the product must be considered hazardous special waste. The degree of hazardousness of waste containing this product in part must be assessed in accordance with applicable legislation.

Have it removed by a licensed waste disposal company, in accordance with national and, where applicable, local regulations.

The transport of the waste may be subject to ADR regulations.

CONTAMINATED PACKAGING MATERIAL

Contaminated packaging material must be sent to recycling or processing centres in accordance with national regulations on waste management.

SECTION 14. Information regarding transport

14.1. UN number or ID number

ADR / RID, IMDG, IATA:

1950

14.2. Proper shipping name in accordance with the UN Model Regulations

ADR / RID: Aerosols

IMDG: Aerosols

IATA: Aerosols, Flammable

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

14.3. Transport hazard class(es)

ADR / RID: Class: 2 Label: 2.1

IMDG: Class: 2 Label: 2.1

IATA: Class: 2 Label: 2.1



14.4. Packaging group

ADR / RID, IMDG, IATA: -

14.5. Environmental hazards

ADR / RID: NO

IMDG: NO

IATA: NO

14.6. Special precautions for the user

ADR / RID:	HIN - Kemler: --	Limited quantities: 1 L	Restriction code in tunnels: (D)
	Special stock: -		
IMDG:	EMS: FD, SU	Limited quantities: 1 L	
IATA:	Load:	Maximum quantity. 150 kg	Packing instructions: 203
	Passengers:	Maximum quantity. 75 kg	Packing instructions: 203
	Special stock:	A145, A167, A802	

14.7. Maritime transport of bulk in accordance with IMO instruments

Information not applicable

SECTION 15. Regulations

15.1. Specific safety, health and environmental regulations and legislation for the substance or mixture

Seveso category - Directive 2012/18/EU: P3a

Restrictions on the product or the substances contained therein pursuant to Annex XVII of Regulation (EC) 1907/2006

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023 Revision date: Replaces: Version: 00

56. Methylene diphenyl diisocyanate (MDI) CAS no. 26447-40-5 EC no. 247-714-0 including the following individual isomers: (a) 4,4'-methylenediphenyl diisocyanate: CAS No. 101-68-8 EC no. 202-966-0 (b) 2,4'-methylenediphenyl diisocyanate: CAS No. 5873-54-1 EC no. 227-534-9 (c) 2,2'-methylenediphenyl diisocyanate: CAS No. 2536-05-2 EC no. 219-799-4	1. May not be placed on the market after 27 December 2010 as a component, in a concentration of 0.1 weight percent or more, of mixtures intended for supply to the general public, unless suppliers ensure, before placing on the market, that the packaging: a) contains protective gloves that meet the requirements of Council Directive 89/686/EEC (*9); b) without prejudice to other Community legislation on the classification, packaging and labelling of substances and mixtures, bears the following visible, legible and indelible statement: "— Allergic reactions may occur when using this product in persons who are already sensitised to diisocyanates. — Persons suffering from asthma, eczema, or skin problems must avoid contact with this product, including skin contact. — Do not use this product in poor ventilation, unless a protective mask with a suitable gas filter (type A1 in accordance with standard EN 14387) is worn. 2. Point 1. under a). does not apply to hot melt adhesives.
--	---

74. Diisocyanates, O=C=NRN=C=O, where R is an aliphatic or aromatic hydrocarbon unit of indeterminate length	1. May not be used after 24 August 2023 as substances as such, as components in other substances or in mixtures for industrial and professional use, unless: a) the concentration of diisocyanates, individually and in combinations, is lower than 0.1 weight percent, or b) the employer or self-employed person ensures that industrial or professional users have successfully completed training on the safe use of diisocyanates before using the substance(s) or mixture(s). 2. May not be placed on the market after 24 February 2022 as substances as such, as constituents in other substances or in mixtures for industrial and professional use, unless: a) the concentration of diisocyanates, individually and in combinations, is lower than 0.1 weight percent, or b) the supplier ensures that the recipient of the substance(s) or mixture(s) is provided with information regarding the requirements referred to in point 1(b) and that the following text is displayed on the packaging, clearly distinguishable from the other information on the label: "as of 24 August 2023, appropriate training must be completed for industrial or professional use".
---	--

Regulation (EU) 2019/1148 - on the placing on the market and use of explosive precursors

not applicable

Substances in Candidate List (art. 59 REACH)

Based on the available data, the product contains no SVHC substances with a percentage greater than 0.1%.

Substances requiring a permit (Annex XIV REACH)

No

Substances subject to export notification Regulation (EU) 649/2012

No

substances subject to the Rotterdam Convention

No

substances subject to the Stockholm Convention

No

Sanitary checks

Workers exposed to this chemical agent are not required to undergo a medical examination, provided that the results of the hazard assessment show that there is only a limited risk to the safety and health of the workers and that the requirements of the directive

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

Measures prescribed by 98/24/EC.

15.2. Chemical safety assessment

For the mixtures / substances indicated in Part 3, no chemical safety assessment has been carried out.

SECTION 16. Other information

Text of the hazard statements (H) cited in paragraphs 2-3 of the sheet:

Flam. Gas 1A	Flammable gas, category 1A
Aerosol 1	Aerosol, category 1
Aerosol 3	Aerosol, category 3
Press. Gas	Gas under pressure
Carc. 2	Carcinogenicity, category 2
Acute Tox. 4	Acute toxicity, category 4
STOTS RE 2	Specific target organ toxicity upon - repeated exposure, category 2
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOTS SE 3	Specific target organ toxicity from - single exposure, category 3
Resp. Sens. 1	Respiratory sensitization, category 1
Skin Sens. 1	Skin sensitization, category 1
H220	Highly flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurized container: may burst when heated.
H280	Contains gas under pressure; may explode upon heating.
H351	Suspected of causing cancer.
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H319	Causes severe eye irritation.
H315	Causes skin irritation.
H335	May cause irritation of the respiratory tract.
H334	May cause allergy or asthma symptoms or difficulty breathing if inhaled.
H317	May cause an allergic skin reaction.
EUH204	Contains isocyanates. May cause an allergic reaction.

LEGEND:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE: Acute toxicity estimate
- CAS: Chemical Abstract Service Number
- CE50: Concentration that affects 50% of the tested populations
- CE: Identification number in ESIS (European Chemicals Information System)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived dose without effect
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- IATA DGR: Regulations relating to the carriage of dangerous goods of the International Aviation Association
- IC50: Concentration of immobilization of 50% of the tested populations
- IMDG: International Maritime Code for Dangerous Substances

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

- IMO: International Maritime Organization - INDEX:

Identification number in Annex VI of CLP - LC50: Lethal concentration

50% - LD50: Lethal dose 50% - OEL:

Occupational exposure level -

PBT: Persistent, bioaccumulative and toxic according

to REACH - PEC: Projected concentration in the environment - PEL: Projected

exposure level - PNEC: Projected concentration without

effect - REACH: Regulation (EC) 1907/2006 -

RID: Regulations relating to the international rail transport

of dangerous goods - TLV: Threshold limit - TLV

CEILING: Concentration that must not be exceeded at any time of occupational exposure - TWA: Time-weighted

average exposure limit - TWA STEL:

Short-term exposure limit - VOC: Volatile organic compound - vPvB: Very persistent and very bioaccumulative according to REACH - WGK: Water hazard classes (Germany).

GENERAL BIBLIOGRAPHY: 1.

Regulation (EC) 1907/2006 of the European Parliament (REACH)

2. Regulation (EC) 1272/2008 of the European Parliament (CLP)

3. Regulation (EU) 2020/878 (Annex II REACH Regulation)

4. Regulation (EC) 790/2009 of the European Parliament (I Atp. CLP)

5. Regulation (EU) 286/2011 of the European Parliament (II Atp. CLP)

6. Regulation (EU) 618/2012 of the European Parliament (III Atp. CLP)

7. Regulation (EU) 487/2013 of the European Parliament (IV Atp. CLP)

8. Regulation (EU) 944/2013 of the European Parliament (V Atp. CLP)

9. Regulation (EU) 605/2014 of the European Parliament (VI Atp. CLP)

10. Regulation (EU) 2015/1221 of the European Parliament (VII Atp. CLP)

11. Regulation (EU) 2016/918 of the European Parliament (VIII Atp. CLP)

12. Regulation (EU) 2016/1179 (IX Atp. CLP)

13. Regulation (EU) 2017/776 (X Atp. CLP)

14. Regulation (EU) 2018/669 (XI Atp. CLP)

15. Regulation (EU) 2019/521 (XII Atp. CLP)

16. Delegated Regulation (EU) 2018/1480 (XIII Atp. CLP)

17. Regulation (EU) 2019/1148 18.

Delegated Regulation (EU) 2020/217 (XIV Atp. CLP)

19. Delegated Regulation (EU) 2020/1182 (XV Atp. CLP)

20. Delegated Regulation (EU) 2021/643 (XVI Atp. CLP)

21. Delegated Regulation (EU) 2021/849 (XVII Atp. CLP)

22. Delegated Regulation (EU) 2022/692 (XVIII Atp. CLP)

-The Merck Index. - 10th Edition - Handling

Chemical Safety - INRS - Fiche

Toxicologique (toxicological sheet)

- Patty - Industrial Hygiene and Toxicology - NI Sax -

Dangerous properties of Industrial Materials-7, 1989 Edition - Website IFA GESTIS -

Website ECHA - Database

of SDS models of

chemical substances - Ministry of Health and Higher Institute of Health (Italy)

CLASSIFICATION CALCULATION METHODS Physico-

chemical hazards: The classification of the product is derived from the criteria of the CLP Regulation, Annex I, Part 2. The assessment methods for the chemical and physical properties are set out in Part 9.

Health hazards: The classification of the product is based on the calculation methods in Annex I of the CLP, Part 3, unless otherwise provided in Part 11.

Environmental hazards: The classification of the product is based on the calculation methods in Annex I of the CLP, Part 4, unless otherwise provided in Part 12.

PU Foam 2 in 1 - NBS / HH

Safety Data Sheet
In accordance with Annex II of REACH - Regulation (EU) 2020/878

Publication date: 10.10.2023

Revision date:

Replaces:

Version: 00

DISCLAIMER OF LIABILITY:

The information in this Safety Data Sheet has been obtained from sources we consider reliable. However, the information is provided without any guarantee, express or implied, as to its accuracy. The circumstances or methods of handling, storage, use, or disposal of the product are beyond our control and may be beyond our knowledge. For these and other reasons, we assume no responsibility and expressly disclaim all liability for loss, damage, or costs in any way related to the handling, storage, use, or disposal of the product. This Safety Data Sheet has been prepared for and may only be used for this product. If the product is used as a component in another product, this Safety Data Sheet information may not apply.